
# PRINTABLE INFO SHEET

**Series: Astro Creations Modular** 

Model: 3AM2020-P





# **About This Model**

Style: Ranch / Bedrooms: 3 / Bathrooms: 2 / Square Feet: 1493

CUSTOMER CONTACT	Notes:

## PRINTABLE INFO SHEET

Series: Astro Creations Modular

Model: 3AM2020-P



# Standards & Features

#### Interior

Flat Ceiling Throughout Stipple Ceiling

8' Sidewall Height

Shaw Take Away Carpet

Rebond Carpet Pad

Shaw Vinyl Floor

Finished Drywall

LED Flush Mount Lighting

Pre-Hung White 2-Panel Interior

Doors with 2 Mortised Hinges

30" Interior Passage Doors

Metal Interior Passage Sets

Floor Mount Door Stops

Smoke Detectors with Battery

Back-Up

Wire Shelving in Closets

White Moulding Package

KCMA Certified Cabinetry

Hardwood Mission Cabinet Doors

with Hardwood Stiles

Concealed Cabinet Hinges

Brushed Nickel Cabinet Hardware

30" Staggered Overhead Cabinets

w/Cabinet Crown Moulding

Lined Base & Dverhead Cabinets

Soft Close Undermount Drawer Guides

Base and Center Shelves in Cabinets

Laminate Countertops

4" Laminate Backsplash

Kitchen (continued)

Stainless Steel Sink - 33x22x8

Structured Flow Brushed Nickel

Kitchen Faucet

**Appliances** 

18 Cubic Foot, Black No-Frost Refrigerator

30" Black Deluxe Gas Range

Power Range Hood with Light

### **Baths**

60" One Piece Fiberglass Tub/Shower

1.6 Gallon Per Flush Elongated Toilets

Square China Lav Sinks

Laminate Countertops

4" Laminate Backsplash

Lighted Vent Fan in Each Bath

Mission Cabinet Doors

**Concealed Cabinet Hinges** 

**Brushed Nickel Cabinet Hardware** 

Base Shelf in Vanities

36" High Vanities

Structured Flow Brushed Nickel Faucets

#### **Bedrooms**

Switched Receptacles

Egress Window Each Bedroom

Wire Shelving in Wardrobes

Recessed 6" LED Light

in All Walk-In Closets & Dantry

#### **Utilities**

Plumbed & amp: Wired for Washer

with Quarter Turn Valve

Vented and Wired for Dryer

CUSTOMER CONTACT	Notes:
OOST OWILL CONTACT	


## PRINTABLE INFO SHEET

Series: Astro Creations Modular

Model: 3AM2020-P



# **Standards & Features (continued)**

**Utilities (continued)** 200 AMP Electrical Service

Hi-Efficiency Gas Furnace

Copper Wiring Throughout

30 Gallon Electric Water Heater with Pan

Air Exchange System for Furnace

Insulated Heat Ducts

Perimeter Heat

Air Conditioner Thermostat w/ 5-Wires

Main Water Line Shut-Off Valve

Water Shut Offs - Where Accessible

Phone Jack

#### **Exterior**

Gatsby Light at Front Door

Seeded Glass Jar Light at Rear Door

(2) GFI-Protected Exterior Receptacle

Vinyl Dutch Lap Siding

**OSB Sheathing** 

Wind Wrap

5/12 Architectural Shingle Roof with

10" Eaves on Ranch Homes

Ice Shield

Ridgevent Roof Ventilation System

6-Panel Fiberglass Front Door 38x80

6-Panel Fiberglass Rear Door 34x80

12" Raised Panel Shutters on

Front Door Side

**Exterior Faucet** 

Non Gridded Low-E Argon Windows

### Construction

2x10 Floor Joists on 16" Centers

# Construction (continued) 2x6 Exterior Walls on 16" Centers\*\*

2x4 Interior Walls

40# Roof Load

3/4" OSB T and G Floor Decking

#### **Energy Efficient Standards**

Vinyl Insulated Low-E Windows

R-21 Fiberglass in Walls

R-31 Avg. Blown in Ceiling- Multi

\*\*NOTE: Spacing for Framing Members may vary due to

**Design Requirements** 

$^{\circ}$	ICT	UIV.	/IED	COI	JΤΛ	CI
Uι	JΟI	UIV	IEN	UUI	N I A	U

Notes:			 